

Enterprise print solution

Endlessly productive, Ricoh's new P502 responds quickly to workgroup black and white print requirements, producing high quality office documents.

Impressive quality and performance

- 1,200 x 1,200 dpi quality
- First page ready in 5 sec.
- Fast 43 ppm throughput
- Up to four paper trays

Ricoh's new state-of-the-art LED printer maintains exceptional speed, quality and reliability throughout long runs. Its powerful Intel 1.3 GHz processor effortlessly processes complex jobs and eliminating bottlenecks, the printer delivers its first pristine 1,200 x 1,200 dpi print in under 5 seconds. Multi-page document sets are produced at a blistering 43 pages per minute.

Compact, quiet and economical

- Space-saving design
- Up to four paper trays
- Low cost of ownership
- 17.400 pages starter toner

Fast, easy to use and secure, the Ricoh P502 can meet ALL enterprise black and white print requirements. The intuitive PCL and PostScript drivers simplify operation, employees can print directly from their iOS and Android devices, and it is easy to password protect and lock confidential documents. And, what is more, to safeguard business security, the intelligent platform supports the use of integrated workflow solutions, such as Ricoh StreamLine NX.



Optional paper trays enhance productivity. Envelopes, letterheads and forms can be fed automatically and with the printer switching seamlessly between trays, it need never run out of paper. Thanks to its compact design and quiet operation, the Ricoh P502 can be positioned on a desk or under a counter, within easy reach of workgroup users. And, with its smart energy saving features and high yield toner cartridges, the Ricoh P502 offers a low Total Cost of Ownership.

Secure desktop and mobile printing

- PCL and PS3 drivers
- iOS and Android support
- Confidential printing
- Enterprise-level security



GENERAL

GENERAL	
Warm-up time	19 seconds
First output speed: B/W	5 seconds
Continuous output speed	43 ppm
Nemory: standard	2 GB
IDD: maximum	320 GB
Veight	19.3 kg
Dimensions: W x D x H	375 x 412 x 311 mm
Power source	220 - 240 V, 50/60 Hz
PRINTER	
Printer language: standard	PCL5e
	PCL6 PostScript 3 (emulation)
	PDF direct (emulation)
rinter language: option	Genuine Adobe ®PostScript®3™
	IPDS
	PDF Direct from Adobe®
rint resolution: maximum	1,200 x 1,200 dpi
letwork interface: standard	Ethernet 10 base-T/100 base-TX/1000 base-T USB2.0 Type B
	USB Host 2.0
letwork interface: option	Bi-directional IEEE 1284/ECP
	Wireless LAN (IEEE 802.11a/b/g/n)
	Additional NIC (2nd port)
Mobile printing capability	Apple AirPrint™ Monria
	Mopria Google Cloud Print
	NFC
	Ricoh Smart Device Connector
etwork protocol	TCP/IP (IP v4, IP v6)
/indows® environments	Windows® 7
	Windows® 8.1 Windows® 10
	Windows® Server 2008
	Windows® Server 2008R2
	Windows® Server 2012
	Windows® Server 2012R2
	Windows® Server 2016
lac OS environments AP® environments	Macintosh OS X v10.10 or later SAP® R/3®, SAP® S/4®
Other supported environments	NDPS Gateway
	AS/400® using OS/400 Host Print Transform
	Device Option Utility (Citrix)
	Linux environment
APER HANDLING	
ecommended paper size	A4, A5, A6, B4, B5, B6
Paper input: standard	500 sheets
aper input: maximum	2,100 sheets
aper output: standard	250 sheets
aper weight	52 - 220 g/m²
Paper types	Plain paper Recycle paper
	Preprinted paper
	Envelope
	Label paper
	OHP
COLOGY	
ower consumption: max.	Less than 1,260 W
	1.7 kWh
250 sheet Paper trav	
x 250-sheet Paper tray x 500-sheet Paper tray	
OTHER OPTIONS	
łard Disk Drive /M card	
PDS unit	
Genuine PostScript 3	
EEE 1284 I/F	
EEE 802.11 a/b/g/n I/F	
SB Device Server	

RICOH P 502 MAIN SPECIFICATIONS

CONSUMABLES

Starter toner Drum Toner (regular yield) Photo conductor/developer unit Consumable yield measuring method ISO/IEC 19752 17,400 prints 70,000 sheets 17,400 prints Black (70,000 sheets)





